

|   | Type | L # | Hits | Search Text   | DBs   | Time Stamp          | Comments |
|---|------|-----|------|---|-------|---------------------|----------|
| 1 | BRS  | L3  | 0    | "10750270"  | USPAT | 2005/04/21<br>18:45 |          |
| 2 | BRS  | L4  | 89   | measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display                  | USPAT | 2005/04/21<br>18:52 |          |
| 3 | BRS  | L5  | 39   | "436"/\$.ccls. & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:53 |          |
| 4 | BRS  | L7  | 6    | "436"/50 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display       | USPAT | 2005/04/21<br>18:52 |          |
| 5 | BRS  | L8  | 16   | "600"/\$.ccls. & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:53 |          |
| 6 | BRS  | L9  | 1    | "600"/316 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display      | USPAT | 2005/04/21<br>18:53 |          |

|    | Type | L # | Hits | Search Text  | DBs   | Time Stamp          | Comments |
|----|------|-----|------|--|-------|---------------------|----------|
| 7  | BRS  | L10 | 47   | "422"/\$.cccls. & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:54 |          |
| 8  | BRS  | L11 | 12   | "422"/63 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display        | USPAT | 2005/04/21<br>18:54 |          |
| 9  | BRS  | L12 | 2    | "700"/\$.cccls. & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:54 |          |
| 10 | BRS  | L13 | 2    | "700"/218 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display       | USPAT | 2005/04/21<br>18:54 |          |
| 11 | BRS  | L14 | 6    | "702"/\$.cccls. & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:56 |          |

|    | Type | L # | Hits | Search Text  | DBs   | Time Stamp          | Comments |
|----|------|-----|------|--|-------|---------------------|----------|
| 12 | BRS  | L15 | 2    | "702"/30 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display  | USPAT | 2005/04/21<br>18:56 |          |
| 13 | BRS  | L16 | 0    | "702"/85 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display  | USPAT | 2005/04/21<br>18:57 |          |
| 14 | BRS  | L17 | 0    | "702"/100 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:57 |          |
| 15 | BRS  | L18 | 0    | "702"/104 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:57 |          |
| 16 | BRS  | L19 | 0    | "702"/179 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:58 |          |

|    | Type | L # | Hits | Search Text  | DBs   | Time Stamp          | Comments |
|----|------|-----|------|--|-------|---------------------|----------|
| 17 | BRS  | L20 | 0    | "702"/183 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:58 |          |
| 18 | BRS  | L21 | 0    | "702"/189 & measuring & reaction & reagent & analyte & signal & calibration & user & test & sensor & processor & concentration & display | USPAT | 2005/04/21<br>18:58 |          |